

Version 1.3	Revision Date 04/28/2018	Print Date 08/15/2019
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION		

Material name	:	A07759 TM CITRUS 30% 12N6.6
Material number	:	00000000001042781
Manufacturer or supplier's of	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

### **Emergency telephone numbers**

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

### Recommended use of the chemical and restrictions on use

Recommended use : Air Care

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	yellow
Odour	characteristic

### **GHS Classification**

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	<ul> <li>Category 1</li> <li>Liquefied gas</li> <li>Category 2A</li> <li>Category 3 (Central nervous system)</li> </ul>
GHS label elements	
Hazard pictograms	
Signal word	: Danger



Version 1.3	Revision Date 04/28/2018	Print Date 08/15/2019	
Hazard statements	H280 Contains gas under press H319 Causes serious eye irritat	<ul> <li>H222 Extremely flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> <li>H336 May cause drowsiness or dizziness.</li> </ul>	
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat, hot and other ignition sources. No s P211 Do not spray on an open f P251 Pressurized container: Do use. P261 Avoid breathing dust/ fum P264 Wash skin thoroughly afte P271 Use only outdoors or in a P280 Wear eye protection/ face <b>Response:</b> P304 + P340 + P312 IF INHALE and keep comfortable for breath CENTER/doctor if you feel unwe P305 + P351 + P338 IF IN EYE for several minutes. Remove co easy to do. Continue rinsing. P337 + P313 If eye irritation per attention.</li> <li>Storage: P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ P403 + P235 Store in a well-ver <b>Disposal:</b> P501 Dispose of contents/contain regulation.</li> </ul>	smoking. flame or other ignition source. o not pierce or burn, even after le/ gas/ mist/ vapours/ spray. er handling. well-ventilated area. e protection. ED: Remove person to fresh air ning. Call a POISON ell. S: Rinse cautiously with water ontact lenses, if present and rsists: Get medical advice/ ght. Do not expose to 122 °F. ntilated place. Keep cool.	

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 50 - < 70
propane	74-98-6	>= 20 - < 30
Orange, sweet, ext.	8028-48-6	>= 3 - < 5
Oil of orange	8008-57-9	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

### **SECTION 4. FIRST AID MEASURES**

General advice

Move out of dangerous area.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.
 Get medical attention.

# SAFETY DATA SHEET



# A07759 TM CITRUS 30% 12N6.6

Version 1.3	Revision Date 04/28/2018	Print Date 08/15/2019
If inhaled	: Consult a physician after si If unconscious, place in rec advice.	ignificant exposure. covery position and seek medical
In case of skin contact	: Wash off immediately with Remove contaminated clot Wash contaminated clothin If skin irritation persists, cal	hing and shoes. ng before reuse.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Keep eye wide open while If eye irritation persists, cor Rinse immediately with ple for at least 15 minutes.	
If swallowed	If symptoms persist, call a	uth to an unconscious person. physician. ınless directed to do so by a
Most important symptoms and effects, both acute and delayed	contact time). Effects are immediate and Symptoms may include irrit	tation, redness, pain, and rash. ntral nervous system depression, sea and/or dizziness. on. dizziness.
Notes to physician	: Treat symptomatically. Syn	mptoms may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains o courses.	or water
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	Use extinguishing measures that are appropriate to lo circumstances and the surrounding environment.	ocal
Further information	For safety reasons in case of fire, cans should be stor	red



Version 1.3	Revision Date 04/28/2018	Print Date 08/15/2019
	separately in closed containmen Use a water spray to cool fully cl Fire residues and contaminated be disposed of in accordance wir Collect contaminated fire extingu must not be discharged into drain	osed containers. fire extinguishing water must th local regulations. iishing water separately. This
Special protective equipment for firefighters	t : Wear self-contained breathing an necessary.	oparatus for firefighting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>
Materials to avoid	: Oxidizing agents

# SAFETY DATA SHEET



# A07759 TM CITRUS 30% 12N6.6

Version 1.3

Revision Date 04/28/2018

Print Date 08/15/2019

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL
Oil of orange	8008-57-9	PEL (Total dust)	10 mg/m3	CAL PEL
		PEL (respirable dust fraction)	5 mg/m3	CAL PEL

### **Biological occupational exposure limits**

Component	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

### Engineering measures

: effective ventilation in all processing areas

### Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally required.



Version 1.3	Revision Date 04/28/2018	Print Date 08/15/2019
Hand protection Remarks	: Skin should be washed after contac required.	ct. No special protection is
Eye protection	: Always wear eye protection when the eye contact with the product cannot	•
Skin and body protection	: No special protection is required.	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at t	he end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: yellow
Odour	: characteristic
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	:
	No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
11	Nuclear and the late
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: not determined
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	

# SAFETY DATA SHEET



# A07759 TM CITRUS 30% 12N6.6

Version 1.3	Revision Date 04/28/2018	Print Date 08/15/2019
Viscosity, kinematic	: No data available	

Heat of combustion : 36.44 kJ/g

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Acids Oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2)

## SECTION 11. TOXICOLOGICAL INFORMATION

#### **Potential Health Effects**

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	<ul> <li>Effects are dependent on exposure (dose, concentration, contact time).</li> <li>Effects are immediate and delayed.</li> <li>Symptoms may include irritation, redness, pain, and rash.</li> <li>Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness.</li> </ul>
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



Version 1.3	Revision Date 04/28/2018	Print Date 08/15/2019
Acute toxicity		
Components:		
acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritatio	n	
Product:		
Remarks: Severe eye irritation	ı	
Respiratory or skin sensitisatior	1	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
	erexposure may be headache, dizzine ons substantially above the TLV value	



Version 1.3

Revision Date 04/28/2018

Print Date 08/15/2019

effects., Solvents may degrease the skin.

### SECTION 12. ECOLOGICAL INFORMATION

## Ecotoxicity

No data available	
Persistence and degradability	
No data available Bioaccumulative potential	
Product:	
Partition coefficient: n-	Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological	No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>





Revision Date 04/28/2018

Print Date 08/15/2019

Zepino

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.



Version 1.3	Revision Date 04/28/2018	Print Date 08/15/2019
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop. 65		
	This product does not contain any California to cause cancer, birth d reproductive harm.	

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory


For information on the country notification status for other regions please contact the manufacturer's regulatory group.

### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

### **SECTION 16. OTHER INFORMATION**

### **Further information**



HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

## **OSHA - GHS Label Information:**





Version 1.3	Revision Date 04/28/2018	Print Date 08/15/2019	
Precautionary statements	:		
	Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition		
	sources. No smoking. Do not spray on an open flame or other ignition source.		
	Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/		
	fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only		
	outdoors or in a well-ventilated area. Wear eye protecti		
	Response: IF INHALED: Remove person to fresh air a	•	
	breathing. Call a POISON CENTER/doctor if you feel u		
	cautiously with water for several minutes. Remove con		
	to do. Continue rinsing. If eye irritation persists: Get me		
	Storage: Protect from sunlight. Do not expose to temp	eratures exceeding 50 °C/ 122	
	°F. Store in a well-ventilated place. Keep cool.		
	Disposal: Dispose of contents/container in accordance	e with local regulation.	

Version:	1.3
Revision Date:	04/28/2018
Print Date:	08/15/2019

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.