

Revision Date 12/17/2018	Print Date 08/15/2019
	Revision Date 12/17/2018

Material name	:	A07733 TM CHERRY 30DAY 12N5.3		
Material number	:	00000000001042700		
Manufacturer or supplier's details				
Company	:	Zep Inc.		
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137		
Telephone	:	404-352-1680		

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Air Care

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

GHS Classification

Flammable aerosols	:	Category 1
Gases under pressure	:	Liquefied gas
Eye irritation	:	Category 2A
Respiratory sensitisation	:	Category 1
Skin sensitisation	:	Category 1
Specific target organ toxicity -	:	Category 3 (Central nervous system)
single exposure		

GHS label elements

Hazard pictograms





Version 2.1	Revision Date 12/17/2018	Print Date 08/15/2019
Signal word	: Danger	
Hazard statements	H317 May cause an allerg H319 Causes serious eye	pressure; may explode if heated. gic skin reaction. irritation. or asthma symptoms or breathing
Precautionary statements	 and other ignition sources P211 Do not spray on an of P251 Pressurized containing use. P261 Avoid breathing dus P264 Wash skin thorough P271 Use only outdoors of P272 Contaminated work the workplace. P280 Wear protective glow P285 In case of inadequation protection. Response: P302 + P352 IF ON SKIN: P304 + P340 + P312 IF IN and keep comfortable for I CENTER/doctor if you fee P305 + P351 + P338 IF IN for several minutes. Remote easy to do. Continue rinsin P333 + P313 If skin irritatian advice/ attention. P337 + P313 If eye irritation P362 + P364 Take off contraction. P362 + P364 Take off contraction P362 + P235 Store in a weight of the several matures of the sev	open flame or other ignition source. er: Do not pierce or burn, even after t/ fume/ gas/ mist/ vapours/ spray. ly after handling. r in a well-ventilated area. clothing should not be allowed out of ves/ eye protection/ face protection. te ventilation wear respiratory : Wash with plenty of soap and water. HALED: Remove person to fresh air breathing. Call a POISON d unwell. N EYES: Rinse cautiously with water ove contact lenses, if present and ng. on or rash occurs: Get medical on persists: Get medical advice/ ng respiratory symptoms: Call a maminated clothing and wash it before a sunlight. Do not expose to

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components



sion 2.1	Revision Date 12/17/2018	Print Date 08/15/2019	
Chemical name	CAS-No.	Concentration [%]	
acetone	67-64-1	>= 70 - < 90	
propane	74-98-6	>= 20 - < 30	
benzaldehyde	100-52-7	>= 1 - < 5	
pentyl acetate	628-63-7	>= 1 - < 5	
eugenol	97-53-0	>= 0.1 - < 1	
cinnamaldehyde	104-55-2	>= 0.1 - < 1	

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. Consult a physician after significant exposure.
In case of skin contact	:	Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 15 minutes.
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time). Causes serious eye irritation. May cause drowsiness or dizziness. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Review section 2 of SDS to see all potential hazards. May cause an allergic skin reaction.
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.





Revision Date 12/17/2018

Print Date 08/15/2019

ZepInc

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains o courses.	or water
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	Use extinguishing measures that are appropriate to lo circumstances and the surrounding environment.	JCal
Further information	For safety reasons in case of fire, cans should be stor separately in closed containments. Fire residues and contaminated fire extinguishing wat be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separate must not be discharged into drains.	ter must
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefightin necessary.	ng if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: Avoid exposure - obtain special instructions before use.
	Avoid contact with skin and eyes.
	For personal protection see section 8.



Version 2.1	Revision Date 12/17/2018	Print Date 08/15/2019
	Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work roo Dispose of rinse water in accordance with local and nation regulations. Persons susceptible to skin sensitisation problems or asth allergies, chronic or recurrent respiratory disease should n be employed in any process in which this mixture is being used.	
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Kee exposure and temperatures over 50 °C or throw into fire even after use. Do no red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated Electrical installations / working materiating the technological safety standards. 	Do not open by force t spray on flames or place.
Materials to avoid	: Oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of	Control parameters /	Basis
		exposure)	Permissible concentration	
acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
		STEL	750 ppm 1,780 mg/m3	CAL PEL
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL

Components with workplace control parameters



Version 2.1	Revision	Date 12/17/20)18 Print	Date 08/15/2019
benzaldehyde	100-52-7	TWA	2 ppm	US WEEL
		STEL	4 ppm	US WEEL
pentyl acetate	628-63-7	TWA	100 ppm 525 mg/m3	NIOSH REL
		TWA	100 ppm 525 mg/m3	OSHA Z-1
		TWA	100 ppm 525 mg/m3	OSHA P0

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI
Engineering measures		fective ventilati	on in all proc	essing area	IS	
Personal protective eq	uipment					
Respiratory protection		o personal resp equired.	piratory prote	ctive equipr	nent normally	
Hand protection Remarks	go ot cł	: The use of skin protection is not normally required; however, good industrial hygiene practice suggests the use of gloves or other appropriate skin protection whenever working with chemicals, and especially if prolonged or frequent contact is possible or likely.			ves or	
Eye protection		lways wear eye ye contact with			tential for inadve xcluded.	ertent
	Ti W	ye wash bottle ightly fitting safe /ear face-shield roblems.	ety goggles		bnormal proces	ssing
Skin and body protection	n :N	o special prote	ction is requi	red.		
Hygiene measures	N	/hen using do n /hen using do n /ash hands befe	ot smoke.		d of workday.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



A07733 TM CHERRY 30DAY 12N5.3

Version 2.1	Revision Date 12/17/2018	Print Date 08/15/2019
Appearance	: Aerosol containing a liquefied gas	
Colour	: colourless	
Odour	: characteristic	
Odour Threshold	: No data available	
рН	: Not applicable	
Melting point/freezing point	: No data available	
Boiling point	: No data available	
Flash point	: Not applicable	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: No data available	
Solubility(ies)		
Water solubility	: partly soluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 36.31 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition	: Carbon monoxide, carbon dioxide and unburned

SAFETY DATA SHEET



A07733 TM CHERRY 30DAY 12N5.3

Version 2.1

Revision Date 12/17/2018

Print Date 08/15/2019

products

hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

	Potential Health Effects	
	Aggravated Medical Condition	: None known.
	Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time).
	Carcinogenicity:	
	IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
	ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential
	OSHA	carcinogen by ACGIH. No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
	NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Αςι	ite toxicity	
	Product:	
	Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
	Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
	Components:	
	acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg
	Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h
		LC50 Rat: 50.1 mg/l
	Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg



Version 2.1	Revision Date 12/17/2018	Print Date 08/15/2019
	LD50 Rabbit: > 7,426 mg/kg	
cinnamaldehyde:		
Acute oral toxicity	: LD50 Oral Rat: 2,220 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: May irritate skin.		
Serious eye damage/eye irritat	ion	
Product:		
Remarks: Severe eye irritati	on	
Respiratory or skin sensitisati	on	
Product:		
Remarks: Causes sensitisat	tion.	
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: Not applicable		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity



Version 2.1	Revision Date 12/17/2018	Print Date 08/15/2019
No data available		
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> benzaldehyde :	: Remarks: No data available	
Partition coefficient: n- octanol/water pentyl acetate :	: Pow: 1.48	
Partition coefficient: n- octanol/water cinnamaldehyde :	: log Pow: 2.3	
Partition coefficient: n- octanol/water	: Pow: 1.83	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sect Substances	
Remarks	This product neither contains, no with a Class I or Class II ODS as Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: Not applicable	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.



Revision Date 12/17/2018

Print Date 08/15/2019

Zepino

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	 Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation Respiratory or skin sensitisation Specific target organ toxicity (single or repeated exposure) 	
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	



Version 2.1	Revision Date 12/17/2018	Print Date 08/15/2019
SARA 313	: This material does not contain any o known CAS numbers that exceed th reporting levels established by SAR	e threshold (De Minimis)
California Prop. 65		
	This product does not contain any California to cause cancer, birth d reproductive harm.	

The components of this product are reported in the following inventories:


DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION



OSHA - GHS Label Information:



Signal word Hazard statements

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.



Version 2.1	Revision Date 12/17/2018	Print Date 08/15/2019
	May cause an allergic skin reaction. Causes serious eye ir asthma symptoms or breathing difficulties if inhaled. May o dizziness.	
Precautionary statements	 Prevention: Keep away from heat, hot surfaces, sparks, or sources. No smoking. Do not spray on an open flame or of Pressurized container: Do not pierce or burn, even after us fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after outdoors or in a well-ventilated area. Contaminated work or out of the workplace. Wear protective gloves/ eye protection inadequate ventilation wear respiratory protection. Response: IF ON SKIN: Wash with plenty of soap and was person to fresh air and keep comfortable for breathing. Cai if you feel unwell. IF IN EYES: Rinse cautiously with water contact lenses, if present and easy to do. Continue rinsing occurs: Get medical advice/ attention. If eye irritation persiattention. If experiencing respiratory symptoms: Call a POI off contaminated clothing and wash it before reuse. Storage: Protect from sunlight. Do not expose to temperat °F. Store in a well-ventilated place. Keep cool. 	ther ignition source. se. Avoid breathing dust/ er handling. Use only dothing should not be allowed on/ face protection. In case of tter. IF INHALED: Remove II a POISON CENTER/doctor for several minutes. Remove . If skin irritation or rash sts: Get medical advice/ ISON CENTER/doctor. Take

Version:	2.1
Revision Date:	12/17/2018
Print Date:	08/15/2019

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.